

COMEX Gold Warrants

COMEX GOLD WARRANTS MAY BE PLEDGED AS COLLATERAL

Acceptable Collateral:

CME Clearing accepts gold warrants registered with the Exchange issued by COMEX-approved depositories ("COMEX gold warrants"). Clearing members may pledge up to \$1.25 billion in gold collateral (COMEX gold warrants & London gold bullion, collectively) as initial margin collateral to meet Base and IRS performance bond requirements.

COMEX Gold Warrant details:

- Electronic document of title under the Uniform Commercial Code (UCC)
- Size: 100-troy ounces¹ and 400-troy ounces²
- Minimum purity: 99.5% fineness
- Each warrant issued by a COMEX depository references the brand and serial number.³

Program Parameters:

- 15% haircut
- Accepted for USD-denominated performance bond requirements
- \$1.25 billion post-haircut limit, inclusive of both COMEX gold warrants & London gold bullion

CME Systems Updates:

- Clearing members enter deposit and withdrawal transactions in Clearing 21, CME's Banking and Collateral Management system.
- For Customer Segregated and Customer OTC deposits, an account number must be provided in Deliveries Plus.
- Once the warrant transfer is reflected in Deliveries Plus, the deposit is finalized in Clearing 21.

COMEX Gold Depositories:⁴

- | | |
|---|------------------------------------|
| • Asahi Depository LLC | • Loomis International (US) Inc. |
| • Brink's, Inc. | • Malca-Amit USA, LLC |
| • Delaware Depository | • Manfra, Tordella & Brookes, Inc. |
| • HSBC Bank, USA | • StoneX Precious Metals LLC |
| • International Depository Services of Delaware | |
| • JP Morgan Chase Bank NA | |

Stock Report:

The Gold Stock Report includes a separate line item for "Pledged_PB" inventory warehoused at each COMEX gold depository.

Contacts:

For further information related to collateral, please contact CME Credit Risk at creditrisk@cmegroup.com

For further information related to processing and testing in Deliveries Plus, please contact Deliveries at clearinghousedelivteam@cmegroup.com

For further information related to processing and testing in Clearing 21, please contact Financial Operations at clearinghousefinancial@cmegroup.com

For further information related to the Gold Stock Reporting, please contact the Office of the Registrar at registrar@cmegroup.com

1. Weight tolerance of 5% higher or lower per 100-troy ounce warrant comprised of (1) 100 troy ounce bar, or three (3) one kilo bars.

2. Weight tolerance of 7.5% higher or 12.5% lower per 400-troy ounce warrant.

3. Elemetal (ELEM) and Al Ethiad (ALET) brands are not accepted as performance bond.

4. The list of Exchange approved COMEX gold depositories can be found in Chapter 7 of the NYMEX Rulebook. <https://www.cmegroup.com/content/dam/cmegroup/rulebook/NYMEX/1/7.pdf>

cmegroup.com

CME Group, The Globe Logo, CME, Chicago Mercantile Exchange, CME Direct and Globex are registered trademarks of Chicago Mercantile Exchange Inc. ClearPort, New York Mercantile Exchange and NYMEX are registered trademarks of New York Mercantile Exchange, Inc. COMEX is a registered trademark of Commodity Exchange, Inc. The information within this fact card has been compiled by CME Group for general purposes only. Although every attempt has been made to ensure the accuracy of the information within this brochure, CME Group assumes no responsibility for any errors or omissions. Futures trading is not suitable for all investors, and involves the risk of loss.

Futures are a leveraged investment, and because only a percentage of a contract's value is required to trade, it is possible to lose more than the amount of money deposited for a futures position. Therefore, traders should only use funds that they can afford to lose without affecting their lifestyles. And only a portion of those funds should be devoted to any one trade because they cannot expect to profit on every trade. All examples in this brochure are hypothetical situations, used for explanation purposes only, and should not be considered investment advice or the results of actual market experience. All matters pertaining to rules and specifications herein are made subject to and are superseded by official CME, CBOT and NYMEX rules. Current rules should be consulted in all cases.